

写真で見る板橋区内植物ベスト100

／2024年地域調査で記録された植物ベスト 100

PDF ファイルで種名をマウスでクリックすると写真が表示されます

<春の地域調査出現率ベスト 100>

順位	種 名	全 114 地点	ア: 16 地点	イ: 56 地点	ウ: 42 地点
1	タンポポの仲間(写真は交雑種)	85.1%	87.5%	92.9%	73.8%
2	ドクダミ	82.5%	87.5%	76.8%	88.1%
3	カタバミ	72.8%	81.3%	76.8%	64.3%
4	ハルジオン	69.3%	68.8%	73.2%	64.3%
5	ノゲシ	62.3%	75.0%	62.5%	57.1%
6	アメリカフウロ	57.0%	75.0%	62.5%	42.9%
6	ナガミヒナゲシ	57.0%	75.0%	57.1%	50.0%
8	ヤブガラシ	55.3%	50.0%	53.6%	59.5%
9	タビラコの仲間(写真はヤブタビラコ)	52.6%	68.8%	60.7%	35.7%
10	スズメノカタビラ	50.9%	50.0%	62.5%	35.7%
11	コヒルガオ	50.0%	62.5%	48.2%	47.6%
12	ヨモギ(展葉)	42.1%	43.8%	37.5%	47.6%
13	カラスノエンドウ	41.2%	50.0%	44.6%	33.3%
13	ムラサキカタバミ	41.2%	50.0%	39.3%	40.5%
15	アカバナユウゲショウ	38.6%	43.8%	46.4%	26.2%
16	シロツメクサ	36.8%	12.5%	57.1%	19.0%
17	キュウリグサ	35.1%	43.8%	41.1%	23.8%
18	イヌムギ	34.2%	62.5%	42.9%	11.9%
18	オオバコ	34.2%	31.3%	42.9%	23.8%
18	ナズナ	34.2%	43.8%	48.2%	11.9%
21	ツメクサ	33.3%	37.5%	32.1%	33.3%
22	ウラボシチチグサ	32.5%	43.8%	30.4%	31.0%
23	オッタチカタバミ	31.6%	50.0%	30.4%	26.2%
24	チチグサモドキ	30.7%	68.8%	26.8%	21.4%
25	オランダミミナグサ	29.8%	31.3%	28.6%	31.0%
25	ツユクサ	29.8%	43.8%	23.2%	33.3%
27	アカカタバミ	28.1%	31.3%	30.4%	23.8%
27	ハハコグサ	28.1%	37.5%	28.6%	23.8%
29	エノコログサ	27.2%	43.8%	30.4%	16.7%
29	サツキとツツジの仲間●	27.2%	37.5%	25.0%	26.2%
29	ヒメジョオン	27.2%	31.3%	30.4%	21.4%
32	ハコベの仲間(写真はコハコベ)	26.3%	25.0%	28.6%	23.8%
33	ヤツデ●	24.6%	6.3%	28.6%	26.2%

<秋の地域調査出現率ベスト 100>

順位	種 名	全 101 地点	ア: 25 地点	イ: 55 地点	ウ: 21 地点
1	ドクダミ	79.2%	88.0%	76.4%	76.2%
2	エノコログサ	75.2%	84.0%	80.0%	52.4%
3	カタバミ	72.3%	72.0%	76.4%	61.9%
4	タンポポの仲間(写真は交雑種)	67.3%	64.0%	72.7%	57.1%
5	ヤブガラシ	64.4%	64.0%	67.3%	57.1%
6	ツユクサ	52.5%	64.0%	50.9%	42.9%
7	メヒシバ	45.5%	60.0%	41.8%	38.1%
8	イヌタデ	39.6%	32.0%	47.3%	28.6%
9	ヨモギ(夏姿・花)	37.6%	36.0%	38.2%	38.1%
10	イノコズチと仲間(写真はヒナタイノコズチ)	35.6%	32.0%	40.0%	28.6%
11	オオバコ	33.7%	16.0%	43.6%	28.6%
11	オシロイバナ	33.7%	32.0%	38.2%	23.8%
13	ノゲシ	33.7%	40.0%	32.7%	28.6%
13	ヘクソカズラ	33.7%	24.0%	36.4%	38.1%
15	コヒルガオ	30.7%	40.0%	27.3%	28.6%
15	セイタカアワダチソウ	30.7%	40.0%	30.9%	19.0%
17	タビラコの仲間(写真はヤブタビラコ)	30.7%	20.0%	34.5%	33.3%
18	アズマネザサ	28.7%	16.0%	40.0%	14.3%
18	ミズヒキ	28.7%	24.0%	27.3%	38.1%
20	アカカタバミ	27.7%	32.0%	27.3%	23.8%
20	ハルジオン	27.7%	24.0%	30.9%	23.8%
22	クズ	25.7%	32.0%	21.8%	28.6%
23	アカメガシワ●(写真は果実)	24.8%	32.0%	23.6%	19.0%
23	オヒシバ	24.8%	20.0%	29.1%	19.0%
25	サツキとツツジの仲間●	22.8%	24.0%	25.5%	14.3%
25	スズメノカタビラ	22.8%	16.0%	32.7%	4.8%
27	ヤマグワ●	22.8%	16.0%	27.3%	19.0%
28	オッタチカタバミ	21.8%	32.0%	20.0%	14.3%
28	コニシキソウ	21.8%	24.0%	20.0%	23.8%
28	ヒメムカシヨモギ	21.8%	32.0%	23.6%	4.8%
31	ヒメジョオン	20.8%	12.0%	27.3%	14.3%
32	アイビー(キツタ)●	19.8%	28.0%	20.0%	9.5%
32	シロツメクサ	19.8%	12.0%	25.5%	14.3%

34	アカメガシワ●	23.7%	18.8%	25.0%	23.8%
35	キキョウソウ	23.7%	25.0%	26.8%	19.0%
35	ノビル	23.7%	43.8%	21.4%	19.0%
35	ヘクソカズラ	23.7%	43.8%	17.9%	23.8%
38	アズマネザサ	21.9%	18.8%	23.2%	21.4%
38	カモジグサ	21.9%	37.5%	26.8%	9.5%
38	スギナ	21.9%	37.5%	16.1%	23.8%
38	セイトカアワダチソウ	21.9%	37.5%	23.2%	14.3%
38	タチヌノフグリ	21.9%	43.8%	23.2%	11.9%
38	トキワハゼ	21.9%	25.0%	23.2%	19.0%
44	アイビー(キヅタ)●	20.2%	25.0%	19.6%	19.0%
44	オオイヌノフグリ	20.2%	12.5%	26.8%	14.3%
46	アジサイ●	19.3%	12.5%	21.4%	19.0%
47	イヌホオズキ	19.3%	31.3%	17.9%	16.7%
48	ヤマグワ●	18.4%	6.3%	26.8%	11.9%
49	クズ	17.5%	12.5%	17.9%	19.0%
49	ヘビイチゴ	17.5%	12.5%	25.0%	9.5%
51	ギシギシの仲間	16.7%	18.8%	19.6%	11.9%
52	ケヤキ●(写真は花)	15.8%	12.5%	21.4%	9.5%
52	ナンテン●	15.8%	12.5%	10.7%	23.8%
52	ハキダメギク	15.8%	25.0%	16.1%	11.9%
55	アオキ(雌雄異株)●(写真は雌株の花)	14.9%	6.3%	16.1%	16.7%
55	エノキ●	14.9%	18.8%	10.7%	19.0%
55	スマレの仲間(写真はタチツボスミレ)	14.9%	25.0%	14.3%	11.9%
55	ミズヒキ	14.9%	12.5%	14.3%	16.7%
59	イノコズチと仲間(写真はヒカゲイノコズチ)	14.0%	25.0%	8.9%	16.7%
59	オオアレチノギク	14.0%	12.5%	17.9%	9.5%
59	チガヤ	14.0%	18.8%	16.1%	9.5%
59	ヨウシュヤマゴボウ	14.0%	6.3%	16.1%	14.3%
63	イロハモミジ●(写真は新芽と花)	13.2%	0.0%	17.9%	11.9%
63	ツタバウンラン	13.2%	25.0%	10.7%	11.9%
63	ノボロギク	13.2%	25.0%	14.3%	7.1%
63	ノミソツツリ	13.2%	43.8%	8.9%	7.1%
63	ヒメツルソバ	13.2%	37.5%	3.6%	16.7%
63	ヤマブキ●	13.2%	0.0%	21.4%	7.1%
63	オキザリス(写真はオオキバナカタバミ)	12.3%	6.3%	17.9%	7.1%
70	オシロイバナ	12.3%	18.8%	16.1%	4.8%
70	タケニグサ	12.3%	18.8%	12.5%	9.5%
70	ニワゼキショウ	12.3%	12.5%	16.1%	7.1%
70	ヘラオオバコ	12.3%	12.5%	16.1%	7.1%
70	ホトケノザ	12.3%	25.0%	10.7%	9.5%
75	コバンソウ	11.4%	31.3%	8.9%	7.1%

34	エノキ●(写真は幹と葉)	18.8%	20.0%	20.0%	14.3%
34	カヤツリグサ	18.8%	12.0%	21.8%	19.0%
36	ウラジロチチコグサ	17.8%	16.0%	16.4%	23.8%
37	イヌホオズキ	16.8%	36.0%	12.7%	4.8%
37	クワクサ	16.8%	20.0%	18.2%	9.5%
37	ケヤキ●(写真は紅葉)	16.8%	16.0%	23.6%	0.0%
37	シダの仲間(写真なし)	16.8%	20.0%	14.5%	19.0%
37	ジャノヒゲ	16.8%	8.0%	16.4%	28.6%
37	ブラジルコミカンソウ	16.8%	24.0%	12.7%	19.0%
37	ヤツデ●	16.8%	12.0%	20.0%	14.3%
44	アジサイ●	15.8%	8.0%	23.6%	4.8%
44	コミカンソウ(写真はブラジルコミカンソウウ)	15.8%	20.0%	16.4%	9.5%
44	ムラサキカタバミ	15.8%	32.0%	7.3%	19.0%
47	エノキグサ	14.9%	28.0%	7.3%	19.0%
47	キンモクセイ●	14.9%	20.0%	14.5%	9.5%
47	ススキ	14.9%	16.0%	16.4%	9.5%
47	ソメイヨシノ●	14.9%	12.0%	20.0%	4.8%
47	ヒガンバナ	14.9%	4.0%	18.2%	19.0%
47	ヤマノイモ	14.9%	8.0%	20.0%	9.5%
53	アオキ(雌雄異株)●(写真は雌株の果実)	13.9%	12.0%	16.4%	9.5%
53	トキワハゼ	13.9%	16.0%	12.7%	14.3%
53	ナンテン●	13.9%	8.0%	21.8%	0.0%
53	ヘビイチゴ	13.9%	8.0%	16.4%	14.3%
57	カラスウリ(写真は果実)	12.9%	16.0%	10.9%	14.3%
57	ギシギシの仲間	12.9%	16.0%	14.5%	4.8%
57	ハゼラン	12.9%	32.0%	9.1%	0.0%
57	ヤブラン	12.9%	16.0%	10.9%	14.3%
57	ヤマブキ●	12.9%	12.0%	18.2%	0.0%
57	ワルナスビ	12.9%	16.0%	16.4%	0.0%
63	オオアレチノギク	11.9%	12.0%	12.7%	9.5%
63	スマレの仲間(写真はタチツボスミレ)	11.9%	24.0%	7.3%	9.5%
63	チヂミザサ	11.9%	8.0%	14.5%	9.5%
63	ハキダメギク	11.9%	16.0%	9.1%	14.3%
63	ヨウシュヤマゴボウ	11.9%	16.0%	9.1%	14.3%
68	イロハモミジ●(写真は紅葉)	10.9%	8.0%	12.7%	9.5%
68	カナムグラ	10.9%	8.0%	12.7%	9.5%
68	コメヒシバ	10.9%	12.0%	10.9%	9.5%
68	シラカシ●	10.9%	8.0%	16.4%	0.0%
68	ツワブキ	10.9%	4.0%	14.5%	9.5%
68	ドウダンツツジ●	10.9%	12.0%	14.5%	0.0%
74	アベリア●	9.9%	20.0%	9.1%	0.0%
74	シマスズメノヒエ	9.9%	12.0%	7.3%	14.3%

75	コメツブツメクサ	11.4%	6.3%	14.3%	9.5%
75	ジャノヒゲ	11.4%	0.0%	3.6%	26.2%
75	スズメノエンドウ	11.4%	31.3%	10.7%	4.8%
75	ソメイヨシノ●	11.4%	0.0%	21.4%	2.4%
75	ヤエムグラ	11.4%	25.0%	14.3%	2.4%
75	ヤマノイモ	11.4%	12.5%	14.3%	7.1%
82	アカツメクサ	10.5%	6.3%	16.1%	4.8%
82	イチヨウ●(写真は雄花)	10.5%	6.3%	14.3%	7.1%
82	イヌガラシ	10.5%	25.0%	10.7%	4.8%
82	オヤブジャミ	10.5%	18.8%	14.3%	2.4%
82	コニシキソウ	10.5%	12.5%	12.5%	7.1%
82	コミカンソウ(写真はブラジル コミカンソウ)	10.5%	18.8%	10.7%	7.1%
82	マメゲンバイナズナ	10.5%	18.8%	12.5%	4.8%
82	メヒシバ	10.5%	18.8%	10.7%	7.1%
90	アベリア●	9.6%	12.5%	10.7%	7.1%
90	アメリカオニアザミ	9.6%	18.8%	10.7%	4.8%
90	オニノゲシ	9.6%	6.3%	10.7%	9.5%
90	シュロ●	9.6%	0.0%	16.1%	4.8%
90	ドウダンツツジ●	9.6%	6.3%	10.7%	9.5%
90	ネズミムギ	9.6%	12.5%	7.1%	11.9%
90	ヒメムカシヨモギ	9.6%	12.5%	12.5%	4.8%
97	イヌタデ	8.8%	6.3%	8.9%	9.5%
97	クスノキ●	8.8%	0.0%	10.7%	9.5%
97	シロザ	8.8%	18.8%	8.9%	4.8%
97	チヂミザサ	8.8%	6.3%	7.1%	11.9%
97	チドメグサ	8.8%	12.5%	8.9%	7.1%
97	ワルナスビ	8.8%	6.3%	10.7%	7.1%
◆出現率とランク V:80~100%＝どこにでも出現する共通種 IV:60~80% III:40~60% II:20~40% I:0~20% ◆種類別 ア:街路 イ:公園・緑地・緑道 ウ:その他(民家、団地のみどり空間、空地など ※樹木には、種名の後に●がついています。					
74	ヒメツルソバ	9.9%	20.0%	5.5%	9.5%
74	ヤブソテツ	9.9%	0.0%	10.9%	19.0%
78	イチヨウ●(写真は黄葉)	8.9%	4.0%	14.5%	0.0%
78	イヌムギ	8.9%	12.0%	7.3%	9.5%
78	チチコグサモドキ	8.9%	8.0%	9.1%	9.5%
81	アメリカセンダングサ	7.9%	16.0%	7.3%	0.0%
81	イヌビエ	7.9%	8.0%	5.5%	14.3%
81	クサギ●(果実)	7.9%	8.0%	10.9%	0.0%
81	クヌギ●(果実＝どんぐり)	7.9%	4.0%	10.9%	4.8%
81	サザンカ●	7.9%	8.0%	9.1%	4.8%
81	シャガ	7.9%	4.0%	12.7%	0.0%
81	シャリンバイ●	7.9%	4.0%	9.1%	9.5%
81	タケニグサ	7.9%	12.0%	5.5%	9.5%
81	チカラシバ	7.9%	0.0%	12.7%	4.8%
81	ツタバウンラン	7.9%	20.0%	5.5%	0.0%
81	ハハコグサ	7.9%	4.0%	7.3%	14.3%
81	ヒヨドリジョウゴ(写真は果実)	7.9%	4.0%	9.1%	9.5%
93	アサガオ	6.9%	24.0%	1.8%	0.0%
93	アメリカイヌホウズキ(写真は果実)	6.9%	4.0%	5.5%	14.3%
93	クスノキ●	6.9%	4.0%	9.1%	4.8%
93	シュロ●	6.9%	4.0%	10.9%	0.0%
93	タマスダレ	6.9%	12.0%	7.3%	0.0%
93	ムクゲ●	6.9%	8.0%	9.1%	0.0%
93	ヤブミョウガ	6.9%	4.0%	9.1%	4.8%
100	アオギリ●	5.9%	0.0%	10.9%	0.0%
100	アケビ●(五葉)	5.9%	0.0%	7.3%	9.5%
100	カモジグサ	5.9%	4.0%	9.1%	0.0%
100	カラムシ	5.9%	4.0%	7.3%	4.8%
100	キツネノマゴ	5.9%	4.0%	5.5%	9.5%
100	センダングサ	5.9%	4.0%	5.5%	9.5%
100	チドメグサ	5.9%	0.0%	7.3%	9.5%
100	ツメクサ	5.9%	8.0%	3.6%	9.5%
100	ノビル	5.9%	0.0%	7.3%	9.5%
100	ハナミズキ●	5.9%	16.0%	1.8%	4.8%
100	マルババコウソウ	5.9%	8.0%	5.5%	4.8%

<ファイル情報>

内容：令和6年（2024年）度 かんきょう観察事業 「板橋区の野草／地域調査」

実施期間：春の地域調査/令和6年5月1日～31日 秋の地域調査/令和6年10月1日～31日

集められたデータのEXCELへの集計作業：杉山美奈

データの解析作業：木村松夫 植物写真の提供：木村松夫

掲載してある植物：142種、153点

／ファイル制作者：木村松夫